



24

CE DoP 703

Declaration of Performance

Regulation (EU) Nr. 305/2011

Decorative wall panellingproline, slimline, smartline

- | | | |
|---|---|--|
| 1 | Harmonised technical standard | DIN EN 13986:2004+A1:2015 |
| 2 | Usage | Coated wood-based material for interior use as a non-load-bearing component in dry areas |
| 3 | Manufacturer | akustikplus GmbH & Co. KG, Postfach 100353, D-83003 Rosenheim |
| 4 | Assessment and verification of constancy of performance | System 3 ^{*)} |

| | |
|-----------------|---------------------------|
| Technical class | MDF according to EN 622-5 |
| Panel thickness | >8,5 mm |

5 Essential characteristics**Declared performance**

| | | |
|--|----------------------|-------------------------|
| Reaction to fire ^{*)} | EN 13501-1 | Class E |
| Emission fo formaldehyde ^{*)} | EN 717-1/-2 | E1 |
| Pentachlorophenol content | EN 13986 - Kap. 5.18 | ≤ 5 ppm |
| Biological durability | EN 335 | Class 1 |
| Transverse tensile strength | EN 319 | > 1,0 N/mm ² |
| Bending strength | EN 310 | > 25 N/mm ² |
| Water vapour permeability | EN 13986 - Tab. 9 | NPD |
| Airborne sound insulation | EN 13986 - Kap. 5.10 | NPD |
| Sound absorption | EN 13986 - Tab. 10 | NPD |
| Thermal conductivity | EN 13986 - Tab. 11 | NPD |

The performance of the product identified in (2) is in conformity with the declared performance in (5). This declaration of performance is issued under the sole responsibility of the manufacturer (3).

Signed for and on behalf of the manufacturer

Peter Huber,
Head of production

Stephanskirchen, 14.02.2024

^{*)} In accordance with the harmonised standard specified in (1), the inspection body/bodies NB 2097 eco-Institut, NB 1322 IBS Linz, NB 0766 EPH Dresden has/have performed type testing according to the system specified in (4).